

# FELT

BICYCLES / CALIFORNIA



SCHWEIZ



*AR | PAGE 2-10*  
*FR | PAGE 11-21*  
*VR | PAGE 22-28*  
*IA | PAGE 29-38*  
*B | PAGE 39-41*  
*BREED | PAGE 42-46*  
*BROAM | PAGE 47-51*  
*FX | PAGE 52-57*

## AR

Speed. It's a sensation unlike any other that exists in its purest form while riding a bicycle. Whether it's a full-on drag race to the finish line or a white-knuckle, Alpine descent, the AR brings the speed.



**FRAME / FORK** UHC Ultimate + Textreme carbon fiber.

**GROUP** SRAM Red eTap AXS. 2x12 - 48/35T, 10-28T

**WHEELS** ZIPP NSW 454. Continental Grand Prix 5000 TL 25c

SIZES - 54, 56, 58, 61



**Frame:** Felt AeroRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

**Fork:** Felt AeroRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

**Headset:** IS (NO.44)

**Speed:** 2x12-speed

**Shifters:** SRAM RED eTap AXS HRD

**Front Derailleur:** SRAM RED eTap AXS, braze-on

**Rear Derailleur:** SRAM RED eTap AXS

**Crankset:** SRAM RED, DUB, 48/35T

**Bottom Bracket:** CeramicSpeed EVO386 for SRAM DUB Road

**Freewheel / Cassette:** SRAM RED XG-1290, 10-28T

**Chain:** SRAM RED

**Brakes :** SRAM RED eTap AXS HRD, hydraulic disc, flat mount

**Brake Rotors:** SRAM CenterLine XR, Center Lock, 160mm front, 140mm rear

**Front Wheel:** ZIPP 454 NSW Carbon Tubeless Disc-brake

**Rear Wheel:** ZIPP 454 NSW Carbon Tubeless Disc-brake, XDR

**Tires:** Continental Grand Prix 5000 TL, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Felt Sprint | UHC Advanced carbon fiber

**Handlebar:** ZIPP SL-70 AERO

**Bartape:** Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Felt AeroRoad IL 2.0 | UHC Advanced + TeXtreme carbon fiber

**Saddle:** Prologo Dimension 143 Nack

**Accessories:** SRAM PowerPack (Battery Charger, 2x Battery) / SRAM hose fitting kit (2x threaded hose barbs and red comp fittings) /

ZIPP valve extenders / Compliance Channel aero seatpost covers / Carbon assembly paste



**FRAME / FORK** UHC Advanced + Textreme carbon fiber.

**GROUP** Shimano Ultegra Di2 R8050. 2x11 - 52/36T, 11-30T

**WHEELS** Reynolds AR58 DB Carbon. Continental Grand Prix 5000 25c

**Frame:** Felt AeroRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

**Fork:** Felt AeroRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

**Headset:** IS (NO.44)

**Speed:** 2x11-speed

**Shifters:** Shimano Ultegra Di2 R8070

**Front Derailleur:** Shimano Ultegra R8050 Di2, braze-on

**Rear Derailleur:** Shimano Ultegra R8050 Di2, short cage

**Crankset:** Shimano Ultegra R8000, 52/36T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Freewheel / Cassette:** Shimano Ultegra R8000, 11-30T

**Chain:** Shimano Ultegra HG701

**Brakes:** Shimano Ultegra R8070, hydraulic disc, flat mount

**Brake Rotors:** Shimano Ultegra RT800, Center Lock, 160mm front, 140mm rear

**Front Wheel:** Reynolds AR58 DB Custom

**Rear Wheel:** Reynolds AR58 DB Custom, Shimano

**Tires:** Continental Grand Prix 5000, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Felt Sprint | UHC Advanced carbon fiber

**Handlebar:** Devox DBar.C0 Aero

**Bartape:** Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Felt AeroRoad IL 2.0 | UHC Advanced + TeXtreme carbon fiber

**Saddle:** Prologo Dimension 143 T4.0

**Accessories:** Shimano SM-BCR2 Battery Charger / Shimano hose fitting kit (2x olives and connector inserts) / Reynolds 2x75mm tubeless valve stems / Compliance Channel aero seatpost covers / Carbon assembly paste



**FRAME / FORK** UHC Advanced + Textreme carbon fiber.

**GROUP** Shimano Ultegra R8000. 2x11 - 52/36T, 11-30T

**WHEELS** Reynolds AR58 DB Carbon. Continental Grand Prix 5000 25c

SIZES - 51, 54, 56, 58, 61





**Frame:** Felt AeroRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

**Fork:** Felt AeroRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

**Headset:** IS (NO.44)

**Speed:** 2x11-speed

**Shifters:** Shimano Ultegra R8020

**Front Derailleur:** SShimano Ultegra R8000, braze-on

**Rear Derailleur:** Shimano Ultegra R8000, short cage

**Crankset:** Shimano Ultegra R8000, 52/36T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Freewheel / Cassette:** Shimano Ultegra R8000, 11-30T

**Chain:** Shimano Ultegra HG701

**Brakes:** Shimano Ultegra R8070, hydraulic disc, flat mount

**Brake Rotors:** Shimano Ultegra RT800, Center Lock, 160mm front, 140mm rear

**Front Wheel:** Reynolds AR58 DB Custom

**Rear Wheel:** Reynolds AR58 DB Custom, Shimano

**Tires:** Continental Grand Prix 5000, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Felt Sprint | UHC Advanced carbon fiber

**Handlebar:** Devox DBar.C0 Aero

**Bartape:** Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Felt AeroRoad IL 2.0 | UHC Advanced + TeXtreme carbon fiber

**Saddle:** Prologo Dimension 143 T4.0

**Accessories:** Shimano hose fitting kit (2x olives and connector inserts) / Reynolds 2x75mm tubeless valve stems /

Compliance Channel aero seatpost covers / Carbon assembly paste





**FRAME** Felt Race Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, flat mount disc brake standard, CNC aluminum replaceable rear derailleur hanger, external mechanical or internal electronic cable routing

**FORK** Felt Race Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown and blades. Flat mount disc

**SEATPOST CLAMP** 27.2mm

FR

The FR is the stiffest, lightest, and best-performing disc brake-equipped road bike that Felt has ever created. It's designed for the pinnacle of competitive racing.





**FR FRD | ULTIMATE | DURA ACE**



**FR | ADVANCED | ULTEGRA DI2**



**FR | ADVANCED | ULTEGRA**



**FR | ADVANCED | 105**



**FRAME / FORK** UHC Ultimate + Textreme carbon fiber.

**GROUP** Shimano Dura-Ace Di2 R9170. 2x11 - 52/36T, 11-30T

**WHEELS** Shimano Dura-Ace C40 Tubeless Carbon. Continental Grand Prix 5000 TL 25c

SIZES - 51, 54, 56



**Frame:** FeltRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

**Fork:** FeltRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

**Headset:** IS (IS-2)

**Speed:** 2x11-speed

**Shifters:** Shimano Dura-Ace Di2 R9170

**Front Derailleur:** Shimano Dura-Ace R9150 Di2, braze-on

**Rear Derailleur:** Shimano Dura-Ace R9150 Di2, short cage

**Crankset:** Shimano Dura-Ace R9100, 52/36T

**Bottom Bracket:** CeramicSpeed EVO386 for Shimano Road

**Freewheel / Cassette:** Shimano Dura-Ace R9100, 11-28T

**Chain:** Shimano Dura-Ace HG901

**Brakes :** Shimano Dura-Ace R9170, hydraulic disc, flat mount

**Brake Rotors:** Shimano Dura-Ace RT900, Center Lock, 160mm front, 140mm rear

**Front Wheel:** Shimano Dura-Ace R9170 C40, Tubeless

**Rear Wheel:** Shimano Dura-Ace R9170 C40, Tubeless

**Tires:** Continental Grand Prix 5000 TL, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** PRO Vibe

**Handlebar:** PRO Vibe Carbon

**Bartape:** Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** PRO Vibe Carbon, 20mm

**Saddle:** Prologo Dimension 143 Nack

**Accessories:** Shimano SM-BCR2 Battery Charger / Shimano hose fitting kit (2x olives and connector inserts) /

Shimano tubeless valve stems / Carbon assembly paste



**FRAME / FORK** UHC Advanced + Textreme carbon fiber.  
**GROUP** Shimano Ultegra Di2 R8050. 2x11 - 52/36T, 11-30T  
**WHEELS** Reynolds AR41 DB Carbon. Vittoria Rubino Pro 25c

SIZES - 51, 54, 56, 58



**Frame:** Felt Road 3.0 | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt Road 3.0 | UHC Advanced + TeXtreme carbon fiber

**Headset:** IS (IS-2)

**Speed:** 2x11-speed

**Shifters:** Shimano Ultegra Di2 R8070

**Front Derailleur:** Shimano Ultegra R8050 Di2, braze-on

**Rear Derailleur:** Shimano Ultegra R8050 Di2, short cage

**Crankset:** Shimano Ultegra R8000, 52/36T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Freewheel / Cassette:** Shimano Ultegra R8000, 11-30T

**Chain:** Shimano Ultegra HG701

**Brakes :** Shimano Ultegra R8070, hydraulic disc, flat mount

**Brake Rotors:** Shimano Ultegra RT800, Center Lock, 160mm front, 140mm rear

**Front Wheel:** Reynolds AR41 DB Custom

**Rear Wheel:** Reynolds AR41 DB Custom, Shimano

**Tires:** Vittoria Rubino Pro IV, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Devox StemR.A1

**Handlebar:** Devox DBar.C1

**Bartape:** Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.C2 Cap

**Saddle:** Prologo Dimension 143 T4.0

**Accessories:** Shimano SM-BCR2 Battery Charger / Shimano hose fitting kit (2x olives and connector inserts) /

Reynolds 2x55mm tubeless valve stems / Carbon assembly paste



**FRAME / FORK** UHC Advanced + Textreme carbon fiber.  
**GROUP** Shimano Ultegra R8000. 2x11 - 52/36T, 11-30T  
**WHEELS** Reynolds AR41 DB Carbon. Vittoria Rubino Pro 25c

SIZES - 51, 54, 56, 58



**Frame:** FeltRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

**Fork:** FeltRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

**Headset:** IS (IS-2)

**Speed:** 2x11-speed

**Shifters:** Shimano Ultegra R8020

**Front Derailleur:** SShimano Ultegra R8000, braze-on

**Rear Derailleur:** Shimano Ultegra R8000, short cage

**Crankset:** Shimano Ultegra R8000, 52/36T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Freewheel / Cassette:** Shimano Ultegra R8000, 11-30T

**Chain:** Shimano Ultegra HG701

**Brakes :** Shimano Ultegra R8070, hydraulic disc, flat mount

**Brake Rotors:** Shimano Ultegra RT800, Center Lock, 160mm front, 140mm rear

**Front Wheel:** Reynolds AR41 DB Custom

**Rear Wheel:** Reynolds AR41 DB Custom, Shimano

**Tires:** Vittoria Rubino Pro IV, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Devox StemR.A1

**Handlebar:** Devox DBar.C1

**Bartape:** Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.C2 Cap

**Saddle:** Prologo Dimension 143 T4.0

**Accessories:** Shimano hose fitting kit (2x olives and connector inserts) /

Carbon assembly paste



**FRAME / FORK** UHC Advanced + Textreme carbon fiber.

**GROUP** Shimano 105 R7000. 2x11 - 52/36T, 11-30T

**WHEELS** Devox 1923A Aluminum with Shimano hubs. Vittoria Rubino 25c

SIZES - 51, 54, 56, 58, 61

**Frame:** FeltRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

**Fork:** FeltRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

**Headset:** IS (IS-2)

**Speed:** 2x11-speed

**Shifters:** Shimano 105 R7025

**Front Derailleur:** Shimano 105 R7000, braze-on

**Rear Derailleur:** Shimano 105 R7000, short cage

**Crankset:** Shimano 105 R7000, 52/36T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Freewheel / Cassette:** Shimano 105 R7000, 11-30T

**Chain:** Shimano 105 HG601

**Brakes :** Shimano 105 R7070, hydraulic disc, flat mount

**Brake Rotors:** Shimano RT70, Center Lock, 160mm front, 140mm rear

**Front Wheel:** Devox WheelRDS.A1 | 23/19, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/19, Shimano hubs

**Tires:** Vittoria Rubino IV, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Devox StemR.A2 6D

**Handlebar:** Devox DBar.A1

**Bartape:** Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.C2 Cap

**Saddle:** Prologo Dimension 143 STN

**Accessories:** Shimano hose fitting kit (2x olives and connector inserts) / Carbon assembly paste



**FRAME** Felt Race Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, flat mount disc brake standard, CNC aluminum replaceable rear derailleur hanger, external mechanical or internal electronic cable routing

**FORK** Felt Race Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown and blades. Flat mount disc, standard, 12 x 100mm thru axle

**SEATPOST CLAMP** 27.2mm



## VR

The VR epitomizes the spirit of the modern endurance cyclist. It offers a new perspective on how to experience terrain, distance, and topography, by empowering its rider to explore beyond his or her perceived limitations.



**FRAME / FORK** UHC Advanced + Textreme carbon fiber.  
**GROUP** Shimano Ultegra Di2 R8050. 2x11 - 50/34T, 11-34T  
**WHEELS** Reynolds AR29 DB Carbon. Vittoria Rubino Pro IV 30c

SIZES - 51, 54, 56, 58





**Frame:** Felt Variable Road UHC Advanced + TeXtreme

**Fork:** Felt Variable Road UHC Advanced + TeXtreme carbon fiber

**Headset:** IS-21

**Speed:** 11-34T

**Shifters:** Shimano Ultegra Di2 R8070 11-speed

**Front Derailleur:** Shimano Ultegra R8050 Di2 braze-on

**Rear Derailleur:** Shimano Ultegra R8050 Di2 11-speed long cage

**Crankset:** Shimano Ultegra R8000, 50/34T

**Bottom Bracket:** Token BB386 with 24mm bearings

**Freewheel / Cassette:** Shimano 11-speed, 11-34T

**Chain:** Shimano 11-speed

**Brakes :** Shimano Ultegra R8070, hydraulic disc, flat mount

**Brake Rotors:** Shimano R8070 hydraulic disc, 160mm front, 140mm rear

**Front Wheel:** Reynolds AR29 DB Custom

**Rear Wheel:** Reynolds AR29 DB Custom, Shimano

**Tires:** Vittoria Rubino Pro IV, 700x30c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Devox StemR.A1

**Handlebar:** Devox DBar.A2

**Bartape:** Additional comfort gel padding, Felt VelvetGel tape with 3M reflective base, and reflective Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.C2 Cap

**Saddle:** Prologo Dimension Space T4.0

**Accessories:** Shimano SM-BCR2 Battery Charger / Shimano hose fitting kit (2x olives and connector inserts) /

Reynolds 2x45mm tubeless valve stems / Carbon assembly paste



**FRAME / FORK** UHC Advanced + Textreme carbon fiber.  
**GROUP** Shimano Ultegra Di2 R8050. 2x11 - 50/34T, 11-34T  
**WHEELS** Reynolds AR29 DB Carbon. Vittoria Rubino Pro IV 30c



Frame: Felt Variable Road UHC Advanced + TeXtreme

Fork: Felt Variable Road UHC Advanced + TeXtreme carbon fiber

Headset: IS-21

Speed: 11-34T

Shifters: Shimano Ultegra Di2 R8070 11-speed

Front Derailleur: Shimano Ultegra R8050 Di2 braze-on

Rear Derailleur: Shimano Ultegra R8050 Di2 11-speed long cage

Crankset: Shimano Ultegra R8000, 50/34T

Bottom Bracket: Token BB386 with 24mm bearings

Freewheel / Cassette: Shimano 11-speed, 11-34T

Chain: Shimano 11-speed

Brakes : Shimano Ultegra R8070, hydraulic disc, flat mount

Brake Rotors: Shimano R8070 hydraulic disc, 160mm front, 140mm rear

Front Wheel: Reynolds AR29 DB Custom

Rear Wheel: Reynolds AR29 DB Custom, Shimano

Tires: Vittoria Rubino Pro G+, 700x28c

Thru Axles: TA 12x100 front, TA 12x142 rear

Stem: Devox StemR.A1

Handlebar: Devox DBar.A2

Bartape: Additional comfort gel padding, Felt VelvetGel tape with 3M reflective base, and reflective Felt Bubble-Tech F-Wing bar end plugs

Seatpost: Devox Post.C2 Cap

Saddle: Prologo Dimension Space T4.0

Accessories: Shimano SM-BCR2 Battery Charger / Shimano hose fitting kit (2x olives and connector inserts) /

Reynolds 2x45mm tubeless valve stems / Carbon assembly paste





**FRAME** Felt Variable Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm with Syntace style thru axle, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical or electronic cable routing, 27.2mm seatpost size

**FORK** Felt Variable Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown, blades, flat mount disc standard, 12 x 100mm thru axle

**SEATPOST CLAMP** Felt single bolt, Ø30.6mm

## IA

Since its debut, the IA has won the Kona World Championship a staggering six consecutive times. In a sport that demands sacrifice, the IA lacks for nothing. Aerodynamic, confidence-inspiring, and serviceable, it's simply the best triathlon bike that the world has ever seen.





**IA | ADVANCED | AXS**



**IA | ADVANCED | ULTEGRA DI2**



**IA | ADVANCED | ULTEGRA**



**IA | ADVANCED | 105**



**FRAME / FORK** UHC Advanced + Textreme carbon fiber.

**GROUP** SRAM Force eTap AXS. 2x12 - 48/35T, 10-28T

**WHEELS** Reynolds AR58/62 DB Carbon. Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58



**Frame:** Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt IntegratedAero Dagger Disc | UHC Advanced + TeXtreme

**Headset:** IS (IS-2)

**Speed:** 2x11-speed

**Shifters:** BaseBar: SRAM eTap Blips / Extensions: SRAM eTap Clicks

**Front Derailleur:** SRAM Force eTap AXS, braze-on

**Rear Derailleur:** SRAM Force eTap AXS

**Crankset:** SRAM Force, DUB, 48/35T

**Bottom Bracket:** SRAM DUB BSA

**Freewheel / Cassette:** SRAM XG-1270, 10-28T

**Chain:** SRAM Force

**Brake Levers :** SRAM S-900 AERO HRD, hydraulic

**Brakes :** SRAM S-900 AERO HRD, hydraulic disc, flat mount

**Brake Rotors:** SRAM CenterLine XR, Center Lock, 140mm

**Front Wheel:** Reynolds AR58/62 DB Custom

**Rear Wheel:** Reynolds AR58/62 DB Custom, Shimano

**Tires:** Continental Grand Sport Race, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 horizontal rear

**Stem:** Felt Dagger 31.8 | SuperLite aluminum

**Handlebar:** BaseBar: Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

**Bartape:** Felt EVA arm pads with anti-microbial cover and Felt Gel tape

**Seatpost:** Felt AeroTRI IL 1.0 VM | UHC Advanced + TeXtreme carbon fiber

**Saddle:** ISM PS1.0

**Accessories:** IA CALpac 2.0 Top Tube storage / A BTSpac Seat Tube storage box / SRAM PowerPack (Battery Charger, 2x Battery) /

Reynolds 2x75mm tubeless valve stems / Compliance Channel aero seatpost covers / Carbon assembly paste



**FRAME / FORK** UHC Advanced + Textreme carbon fiber.

**GROUP** Shimano Ultegra Di2 R8050. 2x11 - 52/36T, 11-28T

**WHEELS** Reynolds AR58/62 DB Carbon. Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56



**Frame:** Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt IntegratedAero Dagger Disc | UHC Advanced + TeXtreme

**Headset:** IS (IS-2)

**Speed:** 2x11-speed

**Shifters:** BaseBar: TRP HD-T910 with integrated shift buttons (right lever only) / Extensions: Shimano Dura-Ace Di2 SW-R9160, TRI/TT

**Front Derailleur:** Shimano Ultegra R8050 Di2, braze-on

**Rear Derailleur:** Shimano Ultegra R8050 Di2, short cage

**Crankset:** Shimano Ultegra R8000, 52/36T

**Bottom Bracket:** Shimano BBR60

**Freewheel / Cassette:** Shimano Ultegra R8000, 11-28T

**Chain:** Shimano Ultegra HG701

**Brake Levers :** TRP HD-T910, hydraulic with integrated shift buttons (right lever only)

**Brakes :** TRP HD-T910, hydraulic disc, flat mount

**Brake Rotors:** TRP TR-25, 140mm

**Front Wheel:** Reynolds AR58/62 DB Custom

**Rear Wheel:** Reynolds AR58/62 DB Custom, Shimano

**Tires:** Continental Grand Sport Race, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 horizontal rear

**Stem:** Felt Dagger 31.8 | SuperLite aluminum

**Handlebar:** BaseBar: Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

**Bartape:** Felt EVA arm pads with anti-microbial cover and Felt Gel tape

**Seatpost:** Felt AeroTRI IL 1.0 VM | UHC Advanced + TeXtreme carbon fiber

**Saddle:** ISM PS1.0

**Accessories:** IA CALpac 2.0 Top Tube storage / IA BTSpac Seat Tube storage box / Shimano SM-BCR2 Battery Charger /

Reynolds 2x75mm tubeless valve stems / Compliance Channel aero seatpost covers / Carbon assembly paste



**FRAME / FORK** UHC Advanced + Textreme carbon fiber.

**GROUP** Shimano Ultegra R8000. 2x11 - 52/36T, 11-28T

**WHEELS** Reynolds AR58/62 DB Carbon. Continental Grand Sport Race 25c

SIZES - 51, 54, 56, 58

**Frame:** Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt IntegratedAero Dagger Disc | UHC Advanced + TeXtreme

**Headset:** IS (IS-2)

**Speed:** 2x11-speed

**Shifters:** microSHIFT A11, TRI/TT

**Front Derailleur:** Shimano Ultegra R8000, braze-on

**Rear Derailleur:** Shimano Ultegra R8000, short cage

**Crankset:** Shimano Ultegra R8000, 52/36T

**Bottom Bracket:** Shimano BBR60

**Freewheel / Cassette:** Shimano Ultegra R8000, 11-28T

**Chain:** Shimano Ultegra HG701

**Brake Levers :** TRP HD-T910, hydraulic

**Brakes :** TRP HD-T910, hydraulic disc, flat mount

**Brake Rotors:** TRP TR-25, 140mm

**Front Wheel:** Reynolds AR58/62 DB Custom

**Rear Wheel:** Reynolds AR58/62 DB Custom, Shimano

**Tires:** Continental Grand Sport Race, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 horizontal rear

**Stem:** Felt Dagger 31.8 | SuperLite aluminum

**Handlebar:** BaseBar: Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

**Bartape:** Felt EVA arm pads with anti-microbial cover and Felt Gel tape

**Seatpost:** Felt AeroTRI IL 1.0 VM | UHC Advanced carbon fiber

**Saddle:** ISM PS1.0

**Accessories:** IA CALpac 2.0 Top Tube storage / IA BTSpac Seat Tube storage box / Shimano SM-BCR2 Battery Charger /

Reynolds 2x75mm tubeless valve stems / Compliance Channel aero seatpost covers / Carbon assembly paste



**FRAME / FORK** UHC Advanced + Textreme carbon fiber.

**GROUP** Shimano 105 R7000. 2x11 - 52/36T, 11-28T

**WHEELS** Devox 1930A DB TR Aluminum with Shimano hubs. Continental Grand Sport Race

SIZES - 54, 56, 58

**Frame:** Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt IntegratedAero Dagger Disc | UHC Advanced + TeXtreme

**Headset:** IS (IS-2)

**Speed:** 2x11-speed

**Shifters:** microSHIFT A11, TRI/TT

**Front Derailleur:** Shimano 105 R7000, braze-on

**Rear Derailleur:** Shimano 105 R7000, short cage

**Crankset:** Shimano 105 R7000, 52/36T

**Bottom Bracket:** Shimano RS500

**Freewheel / Cassette:** Shimano 105 R7000, 11-28T

**Chain:** Shimano 105 HG601

**Brake Levers :** TRP HD-T910, hydraulic

**Brakes :** TRP HD-T910, hydraulic disc, flat mount

**Brake Rotors:** TRP TR-25, 140mm

**Front Wheel:** Devox WheelRDS.A1 | 30/19, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 30/19, Shimano hubs

**Tires:** Continental Grand Sport Race, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 horizontal rear

**Stem:** Felt Dagger 31.8 | SuperLite aluminum

**Handlebar:** BaseBar: Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

**Bartape:** Felt EVA arm pads with anti-microbial cover and Felt Gel tape

**Seatpost:** Felt AeroTRI IL 1.0 VM | UHC Advanced carbon fiber

**Saddle:** ISM PS1.0

**Accessories:** IA CALpac 2.0 Top Tube storage / IA BTSpac Seat Tube storage box / Compliance Channel aero seatpost covers /

Carbon assembly paste

**B**

The time trial. One rider against the clock. No teammates, and nowhere to hide. Some say it's the truest form of cycling competition. So when every watt matters, you'll need a bike as committed to the effort as you are.







**FRAME / FORK** UHC Performance.

**GROUP** Shimano Ultegra 105. 2x11 - 52/36T, 11-28T

**WHEELS** Devox 30A RB Aluminum Vittoria Zaffiro Pro Slick 23c

SIZES - 48, 51, 54, 56, 58, 61

**Frame:** Felt Aero TRI/TT | UHC Performance carbon fiber

**Fork:** Felt Aero TT/Tri | UHC Performance carbon fiber with aluminum steerer tube

**Headset:** IS (IS-21)

**Speed:** 2x11-speed

**Shifters:** microSHIFT A11, TRI/TT

**Front Derailleur:** Shimano Ultegra R8000, braze-on

**Rear Derailleur:** Shimano Ultegra R8000, short cage

**Crankset:** Shimano 105 R7000, 52/36T

**Bottom Bracket:** Shimano BSA

**Freewheel / Cassette:** Shimano 11-28T

**Chain:** Shimano HG601

**Brake Levers :** Tektro TL720

**Brakes :** Front: Shimano 105 R7000 dual-pivot caliper / Rear: Tektro T822 under bottom bracket mount caliper

**Front Wheel:** Devox 30A WheelR

**Rear Wheel:** Devox 30A WheelR

**Tires:** 47cm: Vittoria Zaffiro Pro / 650 x 23c / 51, 54, 56, 58, 61cm: Vittoria Zaffiro Pro Slick, 700x23c

**Quick Release:** QR100 front, QR 130 rear horizontal with integrated adjusters

**Stem:** Devox StemR.A2 17D

**Handlebar:** BaseBar: Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

**Bartape:** Felt EVA arm pads with anti-microbial cover and Felt Gel tape

**Seatpost:** Felt Aero DA/B +25 | UHC Advanced

**Saddle:** Prologo Dimension Tri STN

**Accessories:** Carbon assembly paste

## ***BREED***

Gravel is the new breed of cycling. It's all about chasing the sunset, gaining a fresh perspective on your favorite roads and local trails, and further expanding the incredible freedom that a bicycle can provide.



**FRAME** SuperLite Aluminum. **FORK** UHC Advanced.

**GROUP** SRAM Force CX1. 1x11 - 40T, 11-42T

**WHEELS** Devox GR2.1 SL aluminum. Vittoria Terreno Dry TNT 700x40c

SIZES - 51, 54, 56, 58, 61



**Frame:** Felt Gravel | SuperLite aluminum

**Fork:** Felt Gravel - Adventure | UHC Advanced carbon fiber

**Headset:** IS (NO.42)

**Speed:** 1x11-speed

**Shifters:** SRAM Force 1 Hydraulic

**Front Derailleur:** N/A

**Rear Derailleur:** SRAM Force 1, long cage

**Crankset:** Praxis Works Zayante Carbon-S, 40T DM WT

**Bottom Bracket:** Praxis Works M30 T47 86.5mm

**Freewheel / Cassette:** SRAM PG-1130, 11-42T

**Chain:** SRAM PC-1130

**Brakes :** SRAM Force 1, hydraulic disc, flat mount

**Brake Rotors:** SRAM Centerline, Center Lock, 160mm

**Front Wheel:** Devox WheelRDS.A0 GXA | 30/21

**Rear Wheel:** Devox WheelRDS.A0 GXA | 30/21

**Tires:** Vittoria Terreno Dry, Tubeless Ready (TNT), Anthracite Sidewall, 700x40c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Devox StemR.A1

**Handlebar:** Devox DBar.A1 GXA

**Bartape:** Felt VelvetGel tape with 3M reflective base and Felt Bubble-Tech F-

**Seatpost:** Devox Post.C2

**Saddle:** Prologo Dimension NDR T4.0

**Accessories:** BREED fender system - removable eye-bolts, chain stay fender mount, and seat stay fender bridge /

Carbon assembly paste



**FRAME** SuperLite Aluminum. **FORK** UHC Performance.

**GROUP** Shimano GRX 600. 1x11 - 40T, 11-42T

**WHEELS** Devox GR2.1 aluminum with SHIMANO hubs. Vittoria Terreno Dry 700x40c

SIZES - 51, 54, 56, 58



**Frame:** Felt Gravel | SuperLite aluminum

**Fork:** Felt Gravel - Adventure | UHC Advanced carbon fiber

**Headset:** IS (NO.42)

**Speed:** 1x11-speed

**Shifters:** Shimano GRX RX600

**Front Derailleur:** N/A

**Rear Derailleur:** Shimano GRX RX812

**Crankset:** Shimano GRX RX600, 40T

**Bottom Bracket:** Token T47 (86.5mm) for Shimano (24mm)

**Freewheel / Cassette:** Shimano M7000, 11-42T

**Chain:** Shimano 105 HG601

**Brakes :** Shimano GRX RX400, hydraulic disc, flat mount

**Brake Rotors:** Shimano RT70, Center Lock, 160/140mm

**Front Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Tires:** Vittoria Terreno Dry, Tubeless Ready (TNT), Anthracite Sidewall, 700x40c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Devox StemR.A2 6D

**Handlebar:** Devox DBar.A1 GXA

**Bartape:** Felt Gel tape with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.C2

**Saddle:** Prologo Dimension NDR T4.0

**Accessories:** BREED fender system - removable eye-bolts, chain stay fender mount, and seat stay fender bridge /

Carbon assembly paste

## **BROAM**

The Broam craves two-wheeled adventure. Designed for riders as diverse as the utilitarian urbanite to the rugged outdoors fan, the Broam is equally at home on one's daily commute to bikepacking through the wilderness.







**FRAME** SuperLite Aluminum. **FORK** UHC Performance.

**GROUP** Shimano GRX 600. 2x11 - 46/30T, 11-34T

**WHEELS** Devox 2123A aluminum with Shimano hubs. Maxxis Re-Fuse Max Shield 700x40c

SIZES - 51, 54, 56, 58, 61

**Frame:** Felt Adventure | SuperLite aluminum

**Fork:** Felt Gravel - Adventure | UHC Advanced carbon fiber with aluminum steerer tube

**Headset:** IS (NO.42)

**Speed:** 2x11-speed

**Shifters:** Shimano GRX RX600

**Front Derailleur:** Shimano GRX RX810, braze-on with Ø31.8mm clamp adapter

**Rear Derailleur:** Shimano GRX RX810

**Crankset:** Shimano GRX RX600, 46/30T

**Bottom Bracket:** Shimano RS500

**Freewheel / Cassette:** Shimano 105 HG700, 11-34T

**Chain:** Shimano 105 HG601

**Brakes :** Shimano GRX RX400, hydraulic disc, flat mount

**Brake Rotors:** Shimano RT70, Center Lock, 160/140mm

**Front Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Tires:** Maxxis Refuse with Max Shield, tubeless ready, 700x40c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Devox StemR.A2 6D

**Handlebar:** Devox DBar.A2 GXA

**Bartape:** Felt VelvetGel tape with 3M reflective base and Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.A3

**Saddle:** Selle Royal Essenza Gel

**Accessories:** N/A



**FRAME** SuperLite Aluminum. **FORK** UHC Performance.

**GROUP** Shimano GRX 400, GRX 600 crank, Tiagra brake lever/shifters. 2x10 - 46/30T, 11-34T

**WHEELS** Devox 2123A aluminum with Shimano hubs. Maxxis Re-Fuse 700x40c

SIZES - 51, 54, 56, 58

**Frame:** Felt Adventure | SuperLite aluminum

**Fork:** Felt Gravel - Adventure | UHC Advanced carbon fiber with aluminum steerer tube

**Headset:** IS (NO.42)

**Speed:** 2x10-speed

**Shifters:** Shimano Tiagra 4700

**Front Derailleur:** Shimano GRX RX400, braze-on with Ø31.8mm clamp band

**Rear Derailleur:** Shimano GRX RX400

**Crankset:** Shimano GRX RX600-10, 46/30T

**Bottom Bracket:** Shimano RS500

**Freewheel / Cassette:** Shimano HG500, 11-34T

**Chain:** Shimano HG54

**Brakes :** TRP HY/RD, cable actuated hydraulic disc, flat mount

**Brake Rotors:** TRP TR-35, Center Lock, 160/140mm

**Front Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Tires:** Maxxis Refuse with Silkworm, 700x40c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Devox StemR.A2 VA

**Handlebar:** Devox DBar.A2 GXA

**Bartape:** Felt VelvetGel tape with 3M reflective base and Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.A3

**Saddle:** Selle Royal Essenza Gel

**Accessories:** N/A

# FX

Mud, dirt, sand, snow, and rocks. That's cyclocross. It takes something special to emerge from amidst the roar of the crowd and the cacophony of the cowbells. Like the two-time world championship-winning Fx.





**FRAME / FORK** UHC Advanced + Textreme carbon fiber.

**GROUP** SRAM Force CX1, 1x11 - 38T & 40T, 11-36T

**WHEELS** ZIPP Service Course 30 with Devox hubs. Schwalbe X-ONE TL 700x33c



**Frame:** Felt Cyclocross 2.5 | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt Cyclocross 2.5 | UHC Ultimate + TeXtreme carbon fiber

**Headset:** IS (NO.42)

**Speed:** 1x11-speed

**Shifters:** SRAM Force 1 Hydraulic

**Front Derailleur:** N/A

**Rear Derailleur:** SRAM Force 1, long cage

**Crankset:** Quarq Prime Carbon, X-SYNC 38T installed, X-SYNC 40T in box

**Bottom Bracket:** Token Ninja Lite, BB386 (30mm)

**Freewheel / Cassette:** SRAM PG-1130, 11-36T

**Chain:** SRAM PC-1130

**Brakes :** SRAM Force 1, hydraulic disc, flat mount

**Brake Rotors:** SRAM Centerline, Center Lock, 160mm

**Front Wheel:** ZIPP 30 COURSE with Devox hubs

**Rear Wheel:** ZIPP 30 COURSE with Devox hubs

**Tires:** Schwalbe X-One All Around, MicroSkin, Tubeless Easy, 700x33c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Zipp Service Course SL, Beyond Black

**Handlebar:** ZIPP Service Course SL-70 ERGO

**Bartape:** Felt Gel tape with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** ZIPP Service Course SL, 20mm, Beyond Black

**Saddle:** Prologo Dimension NDR TiRox

**Accessories:** Carbon assembly paste



**FRAME / FORK** UHC Advanced carbon fiber.  
**GROUP** Shimano GRX 600. 2x11 - 46x30, 11-30T  
**WHEELS** Devox Cx24 with Shimano hubs. Schwalbe X-ONE TL  
700x33c

SIZES - 50, 53, 55





**Frame:** Felt Cyclocross 2.5 | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt Cyclocross 2.5 | UHC Ultimate + TeXtreme carbon fiber

**Headset:** IS (NO.42)

**Speed:** qx11-speed

**Shifters:** Shimano GRX RX600

**Front Derailleur:** Shimano GRX RX810, braze-on with Ø34.9mm clamp band

**Rear Derailleur:** Shimano GRX RX810

**Crankset:** Shimano GRX RX600, 46/30T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Freewheel / Cassette:** Shimano 105 R7000, 11-30T

**Chain:** Shimano HG601

**Brakes :** Shimano GRX RX400, hydraulic disc, flat mount

**Brake Rotors:** Shimano RT70, Center Lock, 160/140mm

**Front Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Tires:** Schwalbe X-One All Around, MicroSkin, Tubeless Easy, 700x33c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Devox StemR.A2 6D

**Handlebar:** Devox DBar.A2 GXA

**Bartape:** Felt Gel tape with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.A3

**Saddle:** Prologo Dimension NDR T4.0

**Accessories:** Shimano hose fitting kit (2x olives and connector inserts) / Carbon assembly paste



**FRAME** Felt Cyclocross UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, shoulder friendly top tube, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical or electronic cable routing

**FORK** Felt Cyclocross UHC Ultimate + TeXtreme carbon fiber monocoque construction, ControlTaper 1.125- 1.5" carbon fiber steerer tube, integrated crown and blades. Flat mount disc standard, 12 x 100mm thru axle

**SEATPOST CLAMP** Felt single bolt, Ø31.8mm

2021



# FELT

BICYCLES / CALIFORNIA



**FELT**  
BICYCLES / CALIFORNIA

2021



**amsler**  
bikes & parts

# FELT

BICYCLES / CALIFORNIA

Ihr Fachhändler // Votre Marchand



Amsler & Co. AG // Lindenstrasse 16, 8245 Feuerthalen // 052 674 36 36 // [velo@amsler.ch](mailto:velo@amsler.ch) // [www.amslervelo.ch](http://www.amslervelo.ch)