

WETHEPEOPLE™

BICYCLE CO.

2022

PREVIEW

COMPLETE BIKES

WTP™ → EST. XCVI



WE MAKE THINGS GmbH,
all rights reserved © 2020



INDEX

PRIME 12"
RIOT 14"
SEED 16"
THRILLSEEKER SMALL *
THRILLSEEKER MEDIUM *
THRILLSEEKER LARGE *
THRILLSEEKER X-LARGE *
CRS 18" *
CRS FS 18" *
CRS FC 20" *
JUSTICE 20" *
REASON 20" *
CRYSIS 20" *
VERSUS 20" *
TRUST CS 20"
BATTLESHIP 20" *
ENVY 20"
AVENGER 27.5"



page 1 → Jordan Godwin/Dan Kruk/Felix Prangenberg/Dillon Lloyd → **Out of Line**
page 2 / 3 → Riley Smith → **Perfect Strangers II** -- Dan Kruk/Dillon Lloyd/Jordan Godwin/Felix Prangenberg



* **NEW MODEL**
* **NEW COLOR**

INTRO



Building off the incredibly **warm welcome and positive feedback on the MY2021 line**, we are excited to announce a new approach for our bikes to grow and evolve going into the next season.

The **2022 WETHEPEOPLE complete bike collection** takes our current bike line and keeps all of the existing bikes, while adding in a healthy addition of incredible new models and unique colourways in which everyone has come to love and expect each new year. By keeping our existing models and simply adding onto the line, we were able to find a solution to offer increased availability on popular models and smoother transition between model years which benefits distributions, dealers, and customers alike. With so **much craft, attention, and detail poured into every WETHEPEOPLE bike** each year, this new collection allows each model to reach its full potential and audience whilst still reinventing the way complete bikes should look, feel and ride right out of the box.

By popular demand, our **12" PRIME** is back in a **full drivetrain** form. The **PRIME DRIVETRAIN** uses **super slim tubing and a lightweight alloy crank** making it incredibly lightweight, and perfectly suited for the younger rider. As always this scaled down 12" shredding machine is built with WETHEPEOPLE's legendary attention to detail and quality.

Flatland has been a strong part of our roots since day one. With a **full re-launch of our flatland program** last season, including a fresh tea, and a new line of **flatland focused aftermarket products**, we felt that we were sitting on the perfect opportunity to make the **ultimate flatland complete bike**. Based on our **UTOPIA** line, the **SINUS** uses **full chromoly tubing and a ton of new aftermarket flatland parts**, making it ultimate bike for beginners, novices, or experts alike.

Featuring the new **WETHEPEOPLE Hybrid-freecoaster wheelset and écalat's Mugan flatland tire**, we're incredibly thrilled to have a very special kind of flatland bike back in the line.



We said we couldn't make a bike better than the **ENVY**. We were wrong. Taking the finest engineered BMX bike ever made and adding the game changing **Éclat Carbon Fiber wheelset** into the mix, we have topped it yet again in making the **highest spec'd BMX bike ever made**.

The **ENVY CARBONIC Ltd.** is adorned with only the very best parts we make, if you're looking for a bike unlike anything else, this new upgrade to the iconic Envy is the partner for you.

A whole **new world of fun**, the **SWAMP MASTER** is the **first full suspension complete BMX bike**. Inspired by the world of downhill mountain biking, mixed with classic BMX roots and fun, this bike is unique to say the least. Engineered in Cologne, Germany, the **SWAMP MASTER is designed for serious downhill shredding** whilst gaining the movement and freedom that a BMX bike offers. Spec'd with a mixture of our own aftermarket BMX components and genuine **MTB parts from Kenda and Manitou**, the **SWAMP MASTER** is the first production bike of its kind and is set to revolutionise a new chapter in BMX and MTB fusion.

With all these exciting **new bike models for 2022**, you'll also find a healthy dose of new colourways on the existing popular models, helping make the **2022 collection fresh, innovative and simply unbeatable**. We're looking forward to yet another incredible year with another incredible collection of bikes.

WETHEPEOPLE™
BICYCLE CO.

PRIME 12"

UVP 339.-

WE2202A



NEW
COLOR



PRIME 12"
ARTWORK

WETHE
PEOPLE

BIKE COMPANY
COLOGNE

PRIME



MY → 2022



PRIME 12"



WETHEPEOPLE™
MY 2022

COLORS ● turbo blue

FRAME	WETHEPEOPLE "PRIME" frame, 1020 hi-ten
FORK	SALT "PRIME" fork, 1020 hi-ten, 26mm offset
BARS	SALT "PRIME" bar, 1020 hi-ten
GRIPS	SALT "PRIME" grips
STEM	SALT "PRIME" frontload stem, 30mm reach
HEADSET	SALT "AM" A-headset, 1" loose ball
GYRO	-
LEVER	-
BRAKES	-
CRANKS	-
BB	-
PEDALS	-
CHAIN	-
SPROCKET	-
DRIVER	-
FRONT HUB	SALT "PRIME" hub, alloy, loose ball, 3/8"s axel, 16h
REAR HUB	SALT "PRIME" hub, alloy, loose ball, 3/8"s axel, 16h
HUB GUARDS	-
FRONT RIM	SALT "BEAM" rim, single wall, 16h
REAR RIM	SALT "BEAM" rim, single wall, 16h
SEAT	WETHEPEOPLE „PRIME“ combo seat, alloy post
SEAT POST	-
SEAT CLAMP	SALT "AM" seat clamp, alloy
TIRES	KENDA "KONTACT" tires, 1.75", front & rear
PEGS	-
WEIGHT	4.45kg / 9.81lbs



FRAME GEOMETRY

A - TOP TUBE LENGTH	12.2"
B - CHAIN STAY LENGTH	8.15"
C - HEAD TUBE ANGLE	72°
D - SEAT TUBE ANGLE	70°
E - BB HEIGHT	-
F - STANDOVER HEIGHT	4.72"

BAR GEOMETRY

G - BAR RISE	5.15"
H - BAR WIDTH	19.7"
I - BAR BACKSWEEP	9°
J - BAR UPSWEEP	2.5°

WETHEPEOPLE™
BICYCLE CO.

RIOT 14" -

UVP 469.- WE2202B



NEW
COLOR



RIOT 14"
ARTWORK

WETHEPEOPLE™



EST. XCVI

RIOT 14"



COLORS ● matt black

FRAME	WETHEPEOPLE "RIOT" frame, 1020 hi-ten
FORK	SALT "RIOT" fork, 1020 hi-ten, 4130 crmo steerer, 26mm offset
BARS	SALT "RIOT" bar, 1020 hi-ten
GRIPS	WETHEPEOPLE "ARROW 110" grips, flangeless
STEM	SALT "JUNIOR" topload stem, 40mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "RIOT" brake lever, alloy
BRAKES	SALT "AM" alloy caliper brake, front / SALT "AM" alloy u-brake, rear
CRANKS	SALT "RIOT" tubular 3pc crank, crmo, 114mm, 16 spline, hollow spindle
BB	SALT "SPANISH" bb, 19mm, press fit, sealed bearing
PEDALS	SALT "JUNIOR PRO" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	SALT "GATEWAY" sprocket, steel, 25t
DRIVER	1pc cassette driver, 10t, loose ball bearing
FRONT HUB	SALT "RIOT" hub, alloy, loose ball, 3/8"s axle, 20h
REAR HUB	SALT "RIOT" cassette hub, semi sealed, 10t, 3/8"s axle, 20h
HUB GUARDS	-
FRONT RIM	SALT "BEAM" rim, single wall, 20h
REAR RIM	SALT "BEAM" rim, single wall, 20h
SEAT	WETHEPEOPLE "RIOT" junior combo seat
SEAT POST	-
SEAT CLAMP	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
TIRES	SALT "TRACER" tires, 2.0", front & rear
PEGS	-
WEIGHT	8.42kg / 18.45lbs



FRAME GEOMETRY

A - TOP TUBE LENGTH	14"
B - CHAIN STAY LENGTH	10.25"
C - HEAD TUBE ANGLE	74°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	8.25"
F - STANDOVER HEIGHT	6.5"

BAR GEOMETRY

G - BAR RISE	6.5"
H - BAR WIDTH	22.4"
I - BAR BACKSWEEP	8°
J - BAR UPSWEEP	2.5°



SEED 16"
ARTWORK



SEED[®]

WETHEPEOPLE
BICYCLE CO.
ESTD. 1996

COLOGNE—G.



WTP-19.XCVI-C

16

MY → 2022

NEW
COLOR

—

16" **SEED**
UVP 499.- WE2202C







16" SEED

COLORS ● matt black

FRAME	WETHEPEOPLE "SEED" frame, 1020 hi-ten
FORK	SALT "AM 16" fork, 1020 hi-ten, 4130 crmo steerer, 28mm offset
BARS	SALT "SEED" bar, 1020 hi-ten
GRIPS	WETHEPEOPLE "ARROW 130" grips, flangeless
STEM	SALT "JUNIOR" topload stem, 40mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "SEED" brake lever, alloy, front & rear
BRAKES	SALT "AM" alloy caliper brake, front / SALT "AM" alloy u-brake, rear
CRANKS	SALT "ROOKIE" tubular 3pc crank, crmo, 127mm, 8 spline
BB	SALT "SPANISH" bb, 19mm, press fit, sealed bearing
PEDALS	SALT "JUNIOR PRO" pedals, nylon/fiberglass
CHAIN	SALT "AM chain, Z1 type
SPROCKET	SALT "GATEWAY" sprocket, steel, 25t
DRIVER	1pc cassette driver, 10t, loose ball bearing
FRONT HUB	SALT "SEED" hub, alloy, loose ball 3/8"s axle, 28h
REAR HUB	SALT "SEED" cassette hub, semi sealed, 10t, 14mm hollow axle, 28h
HUB GUARDS	-
FRONT RIM	SALT "FRACTION" rim, single wall, 28h
REAR RIM	SALT "FRACTION" rim, single wall, 28h
SEAT	WETHEPEOPLE "SEED" pivotal seat
SEAT POST	SALT "AM" pivotal seat post, alloy
SEAT CLAMP	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
TIRES	SALT "TRACER" tires, 2.2", front & rear
PEGS	-
WEIGHT	9.66kg / 21.30lbs



FRAME GEOMETRY

A - TOP TUBE LENGTH	16"
B - CHAIN STAY LENGTH	11"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	9.75"
F - STANDOVER HEIGHT	6.67"

BAR GEOMETRY

G - BAR RISE	6.77"
H - BAR WIDTH	23.6"
I - BAR BACKSWEEP	10°
J - BAR UPSWEEP	3°



THRILLSEEKER






Thrillseeker, ein Name, der den eingefleischten WTP-Fans da draußen bekannt vorkommen dürfte. Die Kollektion 2022 kommt mit einer völlig neuen Art von Fahrrad auf den Markt, das tief in unserer historischen Marke verwurzelt ist. Ursprünglich im Jahr 2000 entworfen, war das Thrillseeker für die damalige Zeit ein revolutionäres Konzept, das Wethepeople wirklich auf die Landkarte brachte. Das Thrillseeker war eines der ersten Bikes, das sich von der überladenen Ästhetik der 90er und frühen 2000er Jahre absetzte und stattdessen ein stromlinienförmiges und refinanziertes Bike für Transition und Rampenfahrten anstrebte, das besser zum Fahrer passte.

Das Thrillseeker war sowohl mit kurzem 20"-Oberrohr als auch in einer langen 21"-Version erhältlich, so dass es sowohl für den technischen Street/Park-Fahrer als auch für den anspruchsvollen Trail- und Vert-Fahrer zur Verfügung stand.

Das 20 Jahre alte Konzept eines Bikes mit der "perfekten Passform" geht nahtlos in die komplett neue, 2022 überarbeitete Thrillseeker-Linie über. Sie wurde mit dem Konzept entwickelt, zum ersten Mal eine Bike-Kollektion zu einem unschlagbaren Preis zu schaffen, die perfekt auf jeden Fahrer zugeschnitten ist.



XCVI



Ein Rad, x4 Größen, erhältlich in S-XL, das Thrillseeker ermöglicht es Geschäften, Eltern und Fahrern, ein Rad zu wählen, das perfekt auf den Fahrer zugeschnitten ist, um die ersten Tage im BMX so spaßig wie möglich gestalten. Sorgfältig spezifiziert, um ein leichtes, preisgünstiges und leicht aufrüstbares Rad zu gewährleisten, können Sie erwarten, dass der legendäre Name "Thrillseeker" in der nächsten Saison in die Fahrradgeschäfte auf der ganzen Welt zurückkehrt. Mehr als 20 Jahre später bauen wir immer noch Bikes, in denen sich der Fahrer vom ersten Moment an wohlfühlt.

Wethepeople™
*TS-Größentabelle - Werkzeug zur einfachen Ermittlung der benötigten Thrillseeker-Komplettfahrradgröße.



THRILLSEEKER

SMALL

UVP 539.-

WE2202D

NEW
MODEL



THRILLSEEKER S
ARTWORK

WETHEPEOPLE

PLEASE NOTE:
Final product may vary in appearance.

EST. XCVI

THRILLSEEKER

SMALL





WETHEPEOPLE™
MY 2022

COLORS



black

FRAME	WETHEPEOPLE "THRILLSEEKER" frame, 1020 hi-ten
FORK	SALT "AM 20" fork, 1020 hi-ten , 4130 crmo steerer, 26mm offset
BARS	SALT "THRILLSEEKER" bar, 1020 hi-ten
GRIPS	SALT "EX" grips, 154mm, flangless
STEM	SALT "AM" topload stem, 45mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "ROOKIE" brake lever, alloy
BRAKES	SALT "ROOKIE" alloy u-brake, rear
CRANKS	SALT "ROOKIE" tubular 3pc crank, crmo, 165mm, 8 spline
BB	SALT "MID" bb, 19mm, press fit, sealed bearing
PEDALS	ÉCLAT "SURGE" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	SALT "GATEWAY" sprocket, steel, 25t
DRIVER	1pc cassette driver, 9t, loose ball bearing
FRONT HUB	SALT "THRILLSEEKER" hub, alloy, loose ball, 3/8"s axle, 36h
REAR HUB	SALT "THRILLSEEKER" cassette hub, semi sealed, 9t, 14mm axle, 36h
HUB GUARDS	-
FRONT RIM	SALT "ROOKIE" rim, single wall, 36h
REAR RIM	SALT "ROOKIE" rim, single wall, 36h
SEAT	WETHEPEOPLE "THRILLSEEKER" combo seat, slim padded
SEAT POST	-
SEAT CLAMP	SALT "ROOKIE" seat clamp, alloy
TIRES	SALT "STRIKE" tires, 2.35", front & rear
PEGS	-
WEIGHT	TBA



FRAME GEOMETRY

A - TOP TUBE LENGTH	18.5"
B - CHAIN STAY LENGTH	12.75"
C - HEAD TUBE ANGLE	74.5°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	11.7°
F - STANDOVER HEIGHT	7.5"

BAR GEOMETRY

G - BAR RISE	8.25"
H - BAR WIDTH	27.5"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	2.5°



THRILLSEEKER M
ARTWORK

NEW
MODEL

MEDIUM

THRILLSEEKER

UVP 539.-

WE2202E

WTP-TS[©]

WETHEPEOPLE
BICYCLE COMPANY
THRILLSEEKER
SIZE M
COLOGNE-GER.



WTP-19.XCVI-C



MY → 2022

PLEASE NOTE:
Final product may vary in appearance.





MEDIUM

THRILLSEEKER

COLORS ● black

FRAME	WETHEPEOPLE "THRILLSEEKER" frame, 1020 hi-ten
FORK	SALT "AM 20" fork, 1020 hi-ten , 4130 crmo steerer, 26mm offset
BAR	SALT "THRILLSEEKER" bar, 1020 hi-ten
GRIPS	SALT "EX" grips, 154mm, flangless
STEM	SALT "AM" topload stem, 45mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "ROOKIE" brake lever, alloy
BRAKES	SALT "ROOKIE" alloy u-brake, rear
CRANKS	SALT "ROOKIE" tubular 3pc crank, crmo, 165mm, 8 spline
BB	SALT "MID" bb, 19mm, press fit, sealed bearing
PEDALS	ÉCLAT "SURGE" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	SALT "GATEWAY" sprocket, steel, 25t
DRIVER	1pc cassette driver, 9t, loose ball bearing
FRONT HUB	SALT "THRILLSEEKER" hub, alloy, loose ball, 3/8"s axle, 36h
REAR HUB	SALT "THRILLSEEKER" cassette hub, semi sealed, 9t, 14mm axle, 36h
HUB GUARDS	-
FRONT RIM	SALT "ROOKIE" rim, single wall, 36h
REAR RIM	SALT "ROOKIE" rim, single wall, 36h
SEAT	WETHEPEOPLE "THRILLSEEKER" combo seat, slim padded
SEAT POST	-
SEAT CLAMP	SALT "ROOKIE" seat clamp, alloy
TIRES	SALT "STRIKE" tires, 2.35", front & rear
PEGS	-
WEIGHT	TBA



FRAME GEOMETRY

A - TOP TUBE LENGTH	20"
B - CHAIN STAY LENGTH	12.75"
C - HEAD TUBE ANGLE	74.5°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	11.7°
F - STANDOVER HEIGHT	7.75"

BAR GEOMETRY

G - BAR RISE	8.5"
H - BAR WIDTH	28"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	2.5°



THRILLSEEKER

LARGE

NEW
MODEL

UVP 539.-

WE2202F



THRILLSEEKER L
ARTWORK

WETHEPEOPLE

PLEASE NOTE:

Final product may vary in appearance.

EST. XCVI

THRILLSEEKER

LARGE





WETHEPEOPLE™
MY 2022

COLORS



black

FRAME	WETHEPEOPLE "THRILLSEEKER" frame, 1020 hi-ten
FORK	SALT "AM 20" fork, 1020 hi-ten , 4130 crmo steerer, 26mm offset
BARS	SALT "THRILLSEEKER" bar, 1020 hi-ten
GRIPS	SALT "EX" grips, 154mm, flangless
STEM	SALT "AM" topload stem, 50mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "ROOKIE" brake lever, alloy
BRAKES	SALT "ROOKIE" alloy u-brake, rear
CRANKS	SALT "ROOKIE" tubular 3pc crank, crmo, 165mm, 8 spline
BB	SALT "MID" bb, 19mm, press fit, sealed bearing
PEDALS	ÉCLAT "SURGE" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	SALT "GATEWAY" sprocket, steel, 25t
DRIVER	1pc cassette driver, 9t, loose ball bearing
FRONT HUB	SALT "THRILLSEEKER" hub, alloy, loose ball, 3/8"s axle, 36h
REAR HUB	SALT "THRILLSEEKER" cassette hub, semi sealed, 9t, 14mm axle, 36h
HUB GUARDS	-
FRONT RIM	SALT "ROOKIE" rim, single wall, 36h
REAR RIM	SALT "ROOKIE" rim, single wall, 36h
SEAT	WETHEPEOPLE "THRILLSEEKER" combo seat, mid padded
SEAT POST	-
SEAT CLAMP	SALT "ROOKIE" seat clamp, alloy
TIRES	SALT "STRIKE" tires, 2.35", front & rear
PEGS	-
WEIGHT	TBA



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.5"
B - CHAIN STAY LENGTH	12.75"
C - HEAD TUBE ANGLE	74.5°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	11.7°
F - STANDOVER HEIGHT	8"

BAR GEOMETRY

G - BAR RISE	9"
H - BAR WIDTH	28.85"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	2.5°



THRILLSEEKER XL
ARTWORK

NEW
MODEL

X-LARGE

THRILLSEEKER

UVP 539.-

WE2202G

WTP-TS[©]

WETHEPEOPLE
BICYCLE COMPANY
THRILLSEEKER
SIZE XL
COLOGNE—GER.



WTP-19.XCVI-C



PLEASE NOTE:
Final product may vary in appearance.

MY → 2022





X-LARGE

THRILLSEEKER

COLORS ● black

FRAME	WETHEPEOPLE "THRILLSEEKER" frame, 1020 hi-ten
FORK	SALT "AM 20" fork, 1020 hi-ten , 4130 crmo steerer, 26mm offset
BAR	SALT "THRILLSEEKER" bar, 1020 hi-ten
GRIPS	SALT "EX" grips, 154mm, flangless
STEM	SALT "AM" topload stem, 50mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "ROOKIE" brake lever, alloy
BRAKES	SALT "ROOKIE" alloy u-brake, rear
CRANKS	SALT "ROOKIE" tubular 3pc crank, crmo, 165mm, 8 spline
BB	SALT "MID" bb, 19mm, press fit, sealed bearing
PEDALS	ÉCLAT "SURGE" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	SALT "GATEWAY" sprocket, steel, 25t
DRIVER	1pc cassette driver, 9t, loose ball bearing
FRONT HUB	SALT "THRILLSEEKER" hub, alloy, loose ball, 3/8"s axle, 36h
REAR HUB	SALT "THRILLSEEKER" cassette hub, semi sealed, 9t, 14mm axle, 36h
HUB GUARDS	-
FRONT RIM	SALT "ROOKIE" rim, single wall, 36h
REAR RIM	SALT "ROOKIE" rim, single wall, 36h
SEAT	WETHEPEOPLE "THRILLSEEKER" combo seat, mid padded
SEAT POST	-
SEAT CLAMP	SALT "ROOKIE" seat clamp, alloy
TIRES	SALT "STRIKE" tires, 2.35", front & rear
PEGS	-
WEIGHT	TBA



FRAME GEOMETRY

A - TOP TUBE LENGTH	21"
B - CHAIN STAY LENGTH	12.75"
C - HEAD TUBE ANGLE	74.5°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	11.7°
F - STANDOVER HEIGHT	8.25"

BAR GEOMETRY

G - BAR RISE	9"
H - BAR WIDTH	28.85"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	2.5°



CRS 18"
ARTWORK

CRS-18[©]

WETHEPEOPLE
BICYCLE COMPANY
ESTD. 1996

COLOGNE—GER.



WTP-19.XCVI-C



MY → 2022

18" **CRS**

UVP 599.-

WE2155C





CRS 18"



WETHEPEOPLE™
MY 2022

COLORS ● matt black

FRAME	WETHEPEOPLE "CRS 18" frame, 4130 crmo down tube, 1020 hi-ten
FORK	SALT "AM 18" fork, 1020 hi-ten, 4130 crmo steerer, 26mm offset
BARS	SALT "CRS 18" bar, 1020 hi-ten
GRIPS	SALT "EX" grips, 138mm, flangless
STEM	SALT "AM" topload stem, 45mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "AM" brake lever, alloy
BRAKES	SALT "AM" u-brake, alloy, rear
CRANKS	SALT "ROOKIE" tubular 3pc crank, crmo, 152mm, 8 spline
BB	SALT "SPANISH" bb, 19mm, press fit, sealed bearing
PEDALS	ÉCLAT "SURGE" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	SALT "GATEWAY" sprocket, steel, 25t
DRIVER	1pc cassette driver, 9t, sealed bearing
FRONT HUB	SALT "AM" hub, fully sealed, 3/8"s male axle, 36h
REAR HUB	SALT "AM" cassette hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	-
FRONT RIM	SALT "FRACTION" rim, single wall, 36h
REAR RIM	SALT "FRACTION" rim, single wall, 36h
SEAT	WETHEPEOPLE "CRS 18" pivotal seat
SEAT POST	SALT "AM" pivotal seat post
SEAT CLAMP	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
TIRES	SALT "TRACER" tires, 2.2", front & rear
PEGS	-
WEIGHT	10.92kg / 24.08lbs



FRAME GEOMETRY

A - TOP TUBE LENGTH	18"
B - CHAIN STAY LENGTH	11.65"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	10.75"
F - STANDOVER HEIGHT	7.5"

BAR GEOMETRY

G - BAR RISE	8"
H - BAR WIDTH	26.77"
I - BAR BACKSWEEP	10°
J - BAR UPSWEEP	3°

CRS 18"
ARTWORK

CRS-18[©]

WETHEPEOPLE
BICYCLE COMPANY
ESTD. 1996

COLOGNE—GER.



WTP-19.XCVI-C



MY → 2022

NEW
COLOR

18" **CRS**

UVP 599.- WE2202H





CRS 18"



WETHEPEOPLE™
MY 2022

COLORS ● translucent red

FRAME	WETHEPEOPLE "CRS 18" frame, 4130 crmo down tube, 1020 hi-ten
FORK	SALT "AM 18" fork, 1020 hi-ten, 4130 crmo steerer, 26mm offset
BARS	SALT "CRS 18" bar, 1020 hi-ten
GRIPS	SALT "EX" grips, 138mm, flangless
STEM	SALT "AM" topload stem, 45mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "AM" brake lever, alloy
BRAKES	SALT "AM" u-brake, alloy, rear
CRANKS	SALT "ROOKIE" tubular 3pc crank, crmo, 152mm, 8 spline
BB	SALT "SPANISH" bb, 19mm, press fit, sealed bearing
PEDALS	ÉCLAT "SURGE" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	SALT "GATEWAY" sprocket, steel, 25t
DRIVER	1pc cassette driver, 9t, sealed bearing
FRONT HUB	SALT "AM" hub, fully sealed, 3/8"s male axle, 36h
REAR HUB	SALT "AM" cassette hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	-
FRONT RIM	SALT "FRACTION" rim, single wall, 36h
REAR RIM	SALT "FRACTION" rim, single wall, 36h
SEAT	WETHEPEOPLE "CRS 18" pivotal seat
SEAT POST	SALT "AM" pivotal seat post
SEAT CLAMP	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
TIRES	SALT "TRACER" tires, 2.2", front & rear
PEGS	-
WEIGHT	10.92kg / 24.08lbs



FRAME GEOMETRY

A - TOP TUBE LENGTH	18"
B - CHAIN STAY LENGTH	11.65"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	10.75"
F - STANDOVER HEIGHT	7.5"

BAR GEOMETRY

G - BAR RISE	8"
H - BAR WIDTH	26.77"
I - BAR BACKSWEEP	10°
J - BAR UPSWEEP	3°

CRS 18"
ARTWORK

WETHEPEOPLE®

EST. XCVI

NEW
COLOR



FS 18"

CRS

UVP 599.-

WE22021







18" CRS

COLORS ● metallic soda green

FRAME	WETHEPEOPLE "CRS 18" frame, 4130 crmo down tube, 1020 hi-ten
FORK	SALT "AM 18" fork, 1020 hi-ten, 4130 crmo steerer, 26mm offset
BAR	SALT "CRS 18" bar, 1020 hi-ten
GRIPS	SALT "EX" grips, 138mm, flangless
STEM	SALT "AM" topload stem, 45mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	SALT "AM" rotor
LEVER	SALT "AM" brake lever, alloy
BRAKES	SALT "AM" u-brake, alloy, rear
CRANKS	SALT "ROOKIE" tubular 3pc crank, crmo, 152mm, 8 spline
BB	SALT "SPANISH" bb, 19mm, press fit, sealed bearing
PEDALS	ÉCLAT "SURGE" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	SALT "GATEWAY" sprocket, steel, 25t
DRIVER	1pc cassette driver, 9t, sealed bearing
FRONT HUB	SALT "AM" hub, fully sealed, 3/8"s male axle, 36h
REAR HUB	SALT "AM" cassette hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	-
FRONT RIM	SALT "FRACTION" rim, single wall, 36h
REAR RIM	SALT "FRACTION" rim, single wall, 36h
SEAT	WETHEPEOPLE "CRS 18" pivotal seat
SEAT POST	SALT "AM" pivotal seat post
SEAT CLAMP	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
TIRES	SALT "TRACER" tires, 2.2", front & rear
PEGS	-
WEIGHT	11.08kg / 24.46lbs



FRAME GEOMETRY

A - TOP TUBE LENGTH	18"
B - CHAIN STAY LENGTH	11.65"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	10.75"
F - STANDOVER HEIGHT	7.5"

BAR GEOMETRY

G - BAR RISE	8"
H - BAR WIDTH	26.77"
I - BAR BACKSWEEP	10°
J - BAR UPSWEEP	3°



CRS FC 20"

UVP 639.-

WE2202J

NEW
COLOR



CRS FC 20"
ARTWORK

CRS-20[©]

WETHEPEOPLE
BICYCLE COMPANY
ESTD. 1996

COLOGNE — GER.



WTP-19.XCVI-C





MY → 2022



FC 20" CRS

COLORS ● matt translucent blue

FRAME	WETHEPEOPLE "CRS 20" frame, 4130 crmo down tube, 1020 hi-ten
FORK	SALT "AM 20" fork, 1020 hi-ten , 4130 crmo steerer, 26mm offset
BAR	SALT "CRS 20" bar, 1020 hi-ten
GRIPS	SALT "EX" grips, 154mm, flangless
STEM	SALT "PRO" topload stem, 50mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "AM" brake lever, alloy
BRAKES	SALTPLUS "GEO XL" u-brake, alloy, rear
CRANKS	SALT "ROOKIE" tubular 3pc crank, crmo, 165mm, 8 spline
BB	SALT "MID" bb, 19mm, press fit, sealed bearing
PEDALS	ÉCLAT "SURGE" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	SALT "GATEWAY" sprocket, steel, 25t
DRIVER	1pc cassette driver, 9t, sealed bearing
FRONT HUB	SALT "AM" hub, fully sealed, 3/8"s male axle, 36h
REAR HUB	SALT "PRO" freecoaster hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	-
FRONT RIM	SALT "FRACTION" rim, single wall, 36h
REAR RIM	SALT "FRACTION" rim, single wall, 36h
SEAT	ÉCLAT "BIOS" pivotal seat, mid padded
SEAT POST	SALT "AM" pivotal seat post
SEAT CLAMP	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
TIRES	SALT "TRACER" tires, 2.35", front & rear
PEGS	-
WEIGHT	12.31kg / 27.13lbs



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.25"
B - CHAIN STAY LENGTH	12.75"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	11.75"
F - STANDOVER HEIGHT	8.4"

BAR GEOMETRY

G - BAR RISE	8.85"
H - BAR WIDTH	29"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	2°



JUSTICE 20"
ARTWORK

JUSTICE[©]

ETHE E LE
BICYCLE COMPANY
ESTD. 1996

COLOGNE—GER.



WTP-19.XCVI-C



WETHE
PEOPLE—1996

EST. XCVI

NEW
COLOR

20" JUSTICE

UVP 679.-

WE2202K





PLEASE NOTE:
Final product may vary in appearance.

JUSTICE 20"



COLORS matt black / matt raw fade

FRAME	WETHEPEOPLE "JUSTICE" frame, 4130 trimoly, tapered SS & CS, with removable brake pivots & guides
FORK	SALTPLUS "JUSTICE" fork, 4130 full crmo , butted crmo steerer, 22mm offset
BARS	SALTPLUS "HQ" bar, full 4130 crmo
GRIPS	WETHEPEOPLE "PERFECT" grips, 165mm, flangeless
STEM	SALT "ZION" topload stem, 50mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "AM" brake lever, alloy
BRAKES	ÉCLAT "TALON" u-brake, alloy, rear
CRANKS	SALT "REVO" square profile 3pc crank, crmo, 165mm, 8 spline
BB	SALT "MID" bb, 19mm, press fit, sealed bearing
PEDALS	WETHEPEOPLE "LOGIC" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	WETHEPEOPLE "PARAGON" sprocket & nylon guard, 6061-T6 alloy, 25t
DRIVER	1pc cassette driver, 9t, sealed bearing
FRONT HUB	SALT "PRO" hub, fully sealed, 3/8"s male axle, 36h
REAR HUB	SALT "PRO" cassette hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	SALT "PRO" hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
FRONT RIM	SALT "VALON" rim, single wall, 36h
REAR RIM	SALTPLUS "SUMMIT" rim, double wall, 36h
SEAT	ÉCLAT "BIOS" pivotal seat, fat padded
SEAT POST	SALT "AM" pivotal seat post
SEAT CLAMP	integrated seat clamp
TIRES	WETHEPEOPLE "ACTIVATE" tires, 2.35", 60PSI , front & rear
PEGS	-
WEIGHT	11.61kg / 25.73lbs



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.75"
B - CHAIN STAY LENGTH	13.2"
C - HEAD TUBE ANGLE	76°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.75"
F - STANDOVER HEIGHT	9"

BAR GEOMETRY

G - BAR RISE	9"
H - BAR WIDTH	29.25"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	2.5°

REASON 20"
ARTWORK



WETHE
PEOPLE—1996

REASON[®]

WETHEPEOPLE
BICYCLE COMPANY
ESTD. 1996

COLOGNE—GER.

WTP-19.XCVI-C



MY → 2022

NEW
COLOR

20" REASON

UVP 739.-

WE2202L





PLEASE NOTE:
Final product may vary in appearance.

REASON 20"



COLORS ● matt translucent purple

FRAME	WETHEPEOPLE "REASON" frame, 4130 full crmo, tapered SS & CS, with removable brake pivots & guides
FORK	SALTPLUS "REASON" fork, 4130 full crmo, butted crmo steerer, 15mm offset
BAR	WETHEPEOPLE "REASON" bar, 4pc, 4130 full crmo
GRIPS	WETHEPEOPLE "PERFECT" grips, 165mm, flangeless
STEM	SALT "ZION" topload stem, 50mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "AM" brake lever, alloy
BRAKES	ÉCLAT "TALON" u-brake, alloy, rear
CRANKS	SALT "REVO" square profile 3pc crank, crmo, 160mm, 8 spline
BB	SALT "MID" bb, 19mm, press fit, sealed bearing
PEDALS	WETHEPEOPLE "LOGIC" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	WETHEPEOPLE "PARAGON" sprocket & nylon guard, 6061-T6 alloy, 25t
DRIVER	1pc freecoaster driver, 9t, sealed bearing
FRONT HUB	SALT "PRO" hub, fully sealed, 3/8"s male axle, 36h
REAR HUB	SALT "PRO" freecoaster hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	SALT "PRO" hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
FRONT RIM	SALT "VALON" rim, single wall, 36h
REAR RIM	SALTPLUS "SUMMIT" rim, double wall, 36h
SEAT	ÉCLAT "BIOS" pivotal seat, fat padded
SEAT POST	SALT "AM" pivotal seat post
SEAT CLAMP	integrated seat clamp
TIRES	WETHEPEOPLE "ACTIVATE" tires, 2.35", 60PSI, front & rear
PEGS	SALT "AM" pegs, steel, 4.15" long, x2
WEIGHT	12.33kg / 27.20lbs



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.75"
B - CHAIN STAY LENGTH	12.75"
C - HEAD TUBE ANGLE	76°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.75"
F - STANDOVER HEIGHT	9"

BAR GEOMETRY

G - BAR RISE	9"
H - BAR WIDTH	29.5"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	3°

CRYSIS 20"
ARTWORK

WETHEPEOPLE®

EST. XCVI

NEW
COLOR

20" **CRYSIS**

UVP 799.-

WE2202M





PLEASE NOTE:
Final product may vary in appearance.

CRYSIS 20"



COLORS metallic champagne

FRAME	WETHEPEOPLE "CRYSIS" frame, 4130 full crmo, tapered SS & CS, with removable brake pivots & guides, 127mm head tube
FORK	SALTPLUS "CRYSIS" fork, 4130 full crmo, 4130 crmo steerer, 26mm offset
BARS	SALTPLUS "CRYSIS" bar, 2pc, 4130 full crmo
GRIPS	WETHEPEOPLE "PERFECT" grips, 165mm, flangeless
STEM	WETHEPEOPLE "LOGIC" frontload stem, full cnc, 48mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "MOTO" brake lever, alloy
BRAKES	ÉCLAT "TALON" u-brake, alloy, rear
CRANKS	SALTPLUS "ULTRA" square profile 3pc „TSS“ crank, crmo, 170mm, 8 spline
BB	SALT "MID" bb, 19mm, press fit, sealed bearing
PEDALS	ÉCLAT "SLASH" pedals, nylon/fiberglass
CHAIN	WETHEPEOPLE "SUPPLY" chain, Z510HX type
SPROCKET	WETHEPEOPLE "LOGIC" sprocket, cnc, 6061-T6 alloy, 25t
DRIVER	1pc cassette driver, 9t, sealed bearing
FRONT HUB	SALTPLUS "PRO" hub, fully sealed, 3/8"s female bolts, 36h
REAR HUB	SALTPLUS "PRO" cassette hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	SALTPLUS "PRO" hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
FRONT RIM	SALTPLUS "SUMMIT" rim, double wall, 36h
REAR RIM	SALTPLUS "SUMMIT" rim, double wall, 36h
SEAT	ÉCLAT "BIOS" pivotal seat, fat padded
SEAT POST	SALT "AM" pivotal seat post, 150mm, alloy
SEAT CLAMP	WETHEPEOPLE "LOGIC" seat clamp, 4130 crmo
TIRES	WETHEPEOPLE "OVERBITE" tires, 2.35", front & rear
PEGS	-
WEIGHT	11.94kg / 26.32lbs



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.5" 21"
B - CHAIN STAY LENGTH	13.2"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.65"
F - STANDOVER HEIGHT	8.75" 9"

BAR GEOMETRY

G - BAR RISE	9.7"
H - BAR WIDTH	29.5"
I - BAR BACKSWEEP	12°
J - BAR UPSWEEP	2.5°



VERSUS 20"

UVP 839.-

WE2202N

NEW
COLOR



CRYSIS 20"
ARTWORK

WETHEPEOPLE™

PLEASE NOTE:
Final product may vary in appearance.



MY → 2022



20" VERSUS

COLORS ● translucent red

FRAME	WETHEPEOPLE "VERSUS" frame, 4130 full crmo, tapered SS & CS, with removable brake pivots & guides
FORK	SALTPLUS "VERSUS" fork, 4130 full crmo, butted crmo steerer, 26mm offset
BAR	SALTPLUS "VERSUS" bar, 2pc, 4130 full crmo
GRIPS	WETHEPEOPLE "MANTA" grips, 160mm, flangeless, with ÉCLAT „TECH-BOLT“ barends
STEM	WETHEPEOPLE "INDEX" frontload stem, 50mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	SALTPLUS "GEO" rotor, cnc alloy, with SALT „DUAL“ upper cable
LEVER	SALT "MOTO" brake lever, alloy
BRAKES	ÉCLAT "TALON" u-brake rear, alloy
CRANKS	SALTPLUS "ULTRA" square profile 3pc „TSS“ crank, crmo, 170mm, 8 spline
BB	SALT "MID" bb, 19mm, press fit, sealed bearing
PEDALS	ÉCLAT "CONTRA" pedals, nylon/fiberglass
CHAIN	WETHEPEOPLE "SUPPLY" chain, Z510HX type
SPROCKET	WETHEPEOPLE "LOGIC" sprocket, cnc, 6061-T6 alloy, 25t
DRIVER	1pc cassette driver, 9t, sealed bearing
FRONT HUB	SALTPLUS "PRO" hub, fully sealed, 3/8"s female bolts, 36h
REAR HUB	SALTPLUS "PRO" cassette hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	SALTPLUS "PRO" hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
FRONT RIM	SALTPLUS "SUMMIT" rim, double wall, 36h
REAR RIM	SALTPLUS "SUMMIT" rim, double wall, 36h
SEAT	ÉCLAT "UNIFY" combo seat, slim padded
SEAT POST	-
SEAT CLAMP	integrated seat clamp
TIRES	ÉCLAT "MIRAGE" tires, 2.25", front & rear
PEGS	WETHEPEOPLE "MESSAGE" pegs, 6061-T6 alloy, 4.15" long, x2
WEIGHT	12.15kg / 26.74lbs



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.65"
B - CHAIN STAY LENGTH	12.75"
C - HEAD TUBE ANGLE	75.5°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.55"
F - STANDOVER HEIGHT	7.75"

BAR GEOMETRY

G - BAR RISE	9"
H - BAR WIDTH	29.25"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	2.5°



TRUST CS 20"

UVP 899.-

WE22020



PLEASE NOTE:

Comes with red center stripe on tire tread.



**NEW
COLOR**



TRUST CS 20"
ARTWORK

TRUST

WETHEPEOPLE
BICYCLE COMPANY
ESTD. 1996

COLOGNE—GER.



WTP-19.XCVI-C



WTP

MY → 2022



TRUST CS 20"



WETHEPEOPLE™
MY 2022

COLORS ● matt black

FRAME	WETHEPEOPLE "TRUST" frame, 4130 full crmo, tapered SS & CS, with removable brake pivots & guides, 127mm head tube
FORK	SALTPLUS "TRUST" fork, 4130 full crmo, butted crmo steerer, 26mm offset
BARS	SALTPLUS "TRUST" bar, 4130 full crmo
GRIPS	ÉCLAT "SHOGUN" grips, flangeless, with ÉCLAT „TECH-BOLT“ barends
STEM	WETHEPEOPLE „HYDRA“ topload stem, cnc alloy, 50mm reach, 36mm rise
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "MOTO" brake lever, alloy
BRAKES	ÉCLAT "TALON" u-brake, alloy, rear
CRANKS	SALTPLUS "ELITE" tubular 3pc crank, L&R, crmo, 170mm, 48 spline
BB	SALT "MID" bb, 19mm, press fit, sealed bearing
PEDALS	ÉCLAT "CENTRIC" pedals, nylon/fiberglass
CHAIN	WETHEPEOPLE "SUPPLY" chain, Z510HX type
SPROCKET	WETHEPEOPLE "PARAGON" sprocket & nylon guard, 6061-T6 alloy, 25t
DRIVER	1pc cassette driver, 9t, sealed bearing
FRONT HUB	ÉCLAT "CORTEX" hub, fully sealed, 3/8"s female bolts, 36h
REAR HUB	ÉCLAT "CORTEX" cassette hub, fully sealed, 9t drive, 14mm hollow axle, 36h
HUB GUARDS	ÉCLAT hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
FRONT RIM	ÉCLAT "TRIPPIN" rim, double wall, 36h
REAR RIM	ÉCLAT "TRIPPIN" rim, double wall, 36h
SEAT	ÉCLAT "BIOS" pivotal seat, fat padded
SEAT POST	SALT "AM" pivotal seat post, 150mm, alloy
SEAT CLAMP	WETHEPEOPLE "LOGIC" seat clamp, 4130 crmo
TIRES	WETHEPEOPLE "ACTIVATE" tires, 2.35", 100PSI, front & rear
PEGS	SALT "AM" nylon pegs, 4.5" long, x2
WEIGHT	12.22kg / 26.95lbs



FRAME GEOMETRY

A - TOP TUBE LENGTH	21"
B - CHAIN STAY LENGTH	13.2"
C - HEAD TUBE ANGLE	75.5°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.7"
F - STANDOVER HEIGHT	9"

BAR GEOMETRY

G - BAR RISE	9.25"
H - BAR WIDTH	29.25"
I - BAR BACKSWEEP	12°
J - BAR UPSWEEP	2.5°

BATTLESHIP

RSD 20"



UVP 1299.-

WE2155L



BATTLESHIP RSD 20"
ARTWORK





MY → 2022



COLORS abyss blue (RSD)

FRAME	WETHEPEOPLE "BATTLESHIP" frame, 4130 full crmo, hydroformed gussets, with removable pivots & guides
FORK	WETHEPEOPLE "BATTLESHIP" fork, post liquid heat-treated butted sanko tubing, 1pc cnc steerer, 15mm offset
BARS	ÉCLAT "STRANGLER" bar, 4pc, post liquid heat-treated 4130 crmo, 25.4mm clamping
GRIPS	ÉCLAT "SHOGUN" grips, flangeless, with ÉCLAT "TECH-BOLT" barends
STEM	ÉCLAT „DOMAIN“ topload stem, cnc alloy, 48mm reach, 25.4mm clamping
HEADSET	ÉCLAT „WAVE 16“ int. headset, sealed bearing
GYRO	-
LEVER	SALT "MOTO" brake lever, alloy
BRAKES	ÉCLAT "TALON" u-brake, alloy, rear
CRANKS	WETHEPEOPLE "LOGIC" tubular 3pc crank, 22mm, crmo, 160mm, 48 spline
BB	WETHEPEOPLE "COMPACT" bb, 22mm, press fit, sealed bearing
PEDALS	ÉCLAT "CENTRIC" pedals, nylon/fiberglass
CHAIN	SALTPLUS "WARLOCK" half-link chain
SPROCKET	ÉCLAT "ELEVATE" sprocket & nylon guard, 6061-T6 alloy, 25t
DRIVER	1pc freecoaster driver, 9t, sealed bearing
FRONT HUB	WETHEPEOPLE "HELIX" hub, fully sealed, 3/8"s female bolts, 36h
REAR HUB	WETHEPEOPLE "HELIX" freecoaster hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	WETHEPEOPLE "HELIX" hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
FRONT RIM	ÉCLAT "BONDI" rim, 38mm wide, flash welded, double wall, 36h
REAR RIM	ÉCLAT "BONDI" rim, 38mm wide, flash welded, double wall, 36h
SEAT	ÉCLAT "BIOS" pivotal seat, fat padded
SEAT POST	WETHEPEOPLE "TEAM" pivotal seat post, 200mm, 6061-T6 alloy
SEAT CLAMP	WETHEPEOPLE "LOGIC" seat clamp, 4130 crmo
TIRES	ÉCLAT „DECODER“ tires, 2.40“, 100PSI, front & rear
PEGS	ÉCLAT "VENOM" pegs, nylon/fiberglass, 4.8“ long, x2
WEIGHT	12.67kg / 27.94lbs

BATTLESHIP



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.75"
B - CHAIN STAY LENGTH	13" (12.7"-13.2")
C - HEAD TUBE ANGLE	75.5°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.7"
F - STANDOVER HEIGHT	9"

BAR GEOMETRY

G - BAR RISE	9.1"
H - BAR WIDTH	29.7"
I - BAR BACKSWEEP	11.5°
J - BAR UPSWEEP	2.5°



ENVY 20"

UVP 1399.- WE2155M



PLEASE NOTE:
Final product may vary in appearance.

ENVY 20"
ARTWORK





EST. XCVI



20" ENVY

COLORS ● black chrome

FRAME	WETHEPEOPLE "ENVY XLT", 4130 full crmo, hydroformed gussets, lasercut 6.0mm dropouts, 120mm head tube
FORK	ÉCLAT "STORM XLT" fork, post liquid heat-treated & butted sanko tubing, 24mm offset
BAR	WETHEPEOPLE "ENVY XLT" bar, 4130 full butted sanko, post liquid heat-treated, 25.4mm clamping
GRIPS	ÉCLAT „SHOGUN“ grips, flangeless, with ÉCLAT „TECH-BOLT“ barends
STEM	ÉCLAT „DUNE“ topload stem, cnc alloy, 50mm reach, 25.4mm clamping
HEADSET	WETHEPEOPLE "COMPACT" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	ÉCLAT „SNIPER“ hinged brake lever, alloy, two finger version
BRAKES	ÉCLAT „TALON“ u-brake rear, alloy, with SALTPLUS „PROPELLER“ clear brakepads
CRANKS	ÉCLAT „TIBIA“ tubular 2.5pc crank, 22mm, crmo, 170mm, 48 spline
BB	ÉCLAT „CNC“ bb, 22mm, press fit, sealed bearing
PEDALS	ÉCLAT „CONTRA“ pedals, nylon/fiberglass
CHAIN	WETHEPEOPLE "DEMAND" chain, K1 type
SPROCKET	ÉCLAT „ABYSS“ sprocket, cnc, 6061-T6 alloy, 25t
DRIVER	1pc cassette driver, 9t, sealed bearing, TCS System
FRONT HUB	ÉCLAT „SEISMIC“ hub, fully sealed, 3/8“s female bolts, 36h
REAR HUB	ÉCLAT „SEISMIC“ cassette hub, fully sealed, 9t, 14mm axle, 36h, TCS driver (available in RSD or LSD)
HUB GUARDS	ÉCLAT hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
FRONT RIM	ÉCLAT „E440“ rim, double wall, welded, 36h
REAR RIM	ÉCLAT „E440“ rim, double wall, welded, 36h
SEAT	ÉCLAT „BIOS“ pivotal seat, fat padded
SEAT POST	ÉCLAT "TORCH" 230mm alloy pivotal seat post
SEAT CLAMP	integrated seat clamp
TIRES	ÉCLAT „MIRAGE“ tires - 2.45“ front & rear
PEGS	-
WEIGHT	11.06kg / 24.38lbs



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.5" 21"
B - CHAIN STAY LENGTH	13.1" (12.95"-13.35")
C - HEAD TUBE ANGLE	75.5°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.7"
F - STANDOVER HEIGHT	8.75"

BAR GEOMETRY

G - BAR RISE	9.4"
H - BAR WIDTH	29.8"
I - BAR BACKSWEEP	10.5°
J - BAR UPSWEEP	2°



AVENGER 27.5"

UVP 1099.-

WE2155N



AVENGER 27.5"
ARTWORK



WETHE
PEOPLE
BIKE.CO
CGN
ESTD 96



PLEASE NOTE:
Final product may vary in appearance.

EST. XCVI





27.5"

AVENGER

COLORS ● matt phosphate

FRAME	WETHEPEOPLE "AVENGER" frame, 4130 full crmo
FORK	WETHEPEOPLE „AVENGER“ fork, 4130 full crmo, 33mm offset
BAR	WETHEPEOPLE "AVENGER" bar, 4130 full crmo
GRIPS	SALT "CLAMP ON" grips, 145mm, flangeless
STEM	WETHEPEOPLE „AVENGER“ topload stem, cnc, 1-1/8", 49mm reach
HEADSET	FSA "ORBIT UF-NO.2N" headset
GYRO	-
LEVER	SHIMANO "BL-MT200", disc brake lever
BRAKES	SHIMANO "BL-MT200", hydraulic disc brake with 160 mm rotors
CRANKS	SALT „AVENGER“ tubular 3pc „TSS“ crank, crmo, 175mm, 8 spline
BB	SALTPLUS „BSA“ (68mm) bb, 19mm, external, sealed bearing
PEDALS	WETHEPEOPLE „LOGIC“ pedals, nylon/fiberglass
CHAIN	WETHEPEOPLE "SUPPLY" chain, Z510HX type
SPROCKET	WETHEPEOPLE „PATROL“ sprocket, cnc, 6061-T6 alloy, 42t
DRIVER	cassette driver, 18t cog, sealed bearing
FRONT HUB	WETHEPEOPLE "AVENGER" disc front hub, fully sealed, M6 female bolts, 36h
REAR HUB	WETHEPEOPLE "AVENGER" disc cassette hub, fully sealed, 3/8" female bolts, 36h
HUB GUARDS	-
FRONT RIM	WETHEPEOPLE „AVENGER-DB-32“ rim, double wall, 27.5", 36h
REAR RIM	WETHEPEOPLE „AVENGER-DB-32“ rim, double wall, 27.5", 36h
SEAT	WETHEPEOPLE "AVENGER" railed seat
SEAT POST	WETHEPEOPLE „AVENGER“ seat post, 27.2mm, alloy
SEAT CLAMP	WETHEPEOPLE „AVENGER“ seat clamp, 29.8mm, forged alloy
TIRES	WTB „RANGER“ tires, 27.5"x 2.25", front & rear
PEGS	-
WEIGHT	14.80kg / 32.63lbs



FRAME GEOMETRY

A - TOP TUBE LENGTH	24.5"
B - CHAIN STAY LENGTH	18.75"
C - HEAD TUBE ANGLE	70°
D - SEAT TUBE ANGLE	68°
E - BB HEIGHT	bb drop 63mm
F - STANDOVER HEIGHT	-

BAR GEOMETRY

G - BAR RISE	4.3"
H - BAR WIDTH	31.1"
I - BAR BACKSWEEP	14°
J - BAR UPSWEEP	4°

20



WETHEPEOPLE
PRO TEAM

- Jordan Godwin
- Dillon Lloyd
- Dan Kruk
- Felix Prangenberg



WTP



amsler
bikes & parts



22